SEASONAL BIOMASS DISTRIBUTION, AREA APPORTIONMENTS; AND SEASONAL ALLOWANCES OF ANNUAL TAC IN 2002 [Values are in mt] Area

TABLE 21.—DISTRIBUTION OF POLLOCK IN THE CENTRAL AND WESTERN REGULATORY AREAS OF THE GULF OF ALASKA:

Scason	(biomass dis- tribution ²)	distribution)	distribution)	distribution)
Α	2,916 (23%)	8,618 (68%)	1,122 (9%)	12,656 (100%)
В	2,916 (23%)	8,618 (68%)	1,122 (9%)	12,656 (100%)
C	5,949 (47%)	2,905 (23%)	3,803 (30%)	12,657 (100%)

Spacon 1

is extended, or proposed and final rulemaking is completed. ² Biomass distribution is rounded to the nearest 1%.

Shumagin

Chirikof (Area

Kodiak (Area

630) (hiomace

Total (biomass

2002, before the C and D seasons are scheduled to begin. Therefore, the C and D seasons are not authorized unless either this emergency rule

^{5.949 (47%) | 2.904 (23%) | 3.803 (30%) | 12.656 (100%)}

^{17,730 23,045 9,850} 50,625

¹These emergency interim regulations for pollock in the GOA which specify A and B season dates and harvest limitations, expires July 8,